Application No. 10/092,361 Amdt. Dated November 22, 2005

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

What is claimed is:

1. (Currently Amended) A computer-implemented method for forming a plurality of stores into a plurality of store clusters based on price optimization, and re-optimizing prices based on the plurality of store clusters, comprising:

collecting store specific information from a plurality of stores;

providing optimized combinations <u>including optimized prices for a plurality of products</u> for each individual store <u>of the plurality of stores</u> based on the store specific information, <u>wherein the optimized prices are generated using demand coefficients, cost coefficients and optimization rules</u>;

creating a plurality of <u>store</u> clusters <u>from the plurality of stores</u> based on the closeness of the optimal combinations; and

<u>re-optimizing prices for [[a]] the plurality of products for at least one of the plurality of store</u> clusters, and wherein the <u>re-optimizing of prices uses demand coefficients</u>, cost coefficients and optimization rules, and wherein the <u>re-optimizing of prices is implemented on a computer.</u>

- 2. (Original) The method, as recited in claim 1, further comprising providing cluster based combinations.
- 3. (Original) The method, as recited in claim 2, wherein the store specific information is selected from a group comprising point-of-sales data, customer survey data, and cost data.

- 4. (Currently Amended) The method, as recited in claim 3, wherein the combinations is selected from a group comprising item and price, assortment, further include assortment and promotion combinations.
- 5. (Currently Amended) The method, as recited in claim 1, wherein the creating the plurality of clusters, comprises:

providing at least one constraint; and

placing stores that meet the constraints and with the closest optimal combinations in the same cluster of the plurality of store clusters.

- 6. (Original) The method, as recited in claim 5, wherein the at least one constraint places two stores in the same cluster, by making each store of the two stores have the same optimal combination.
- 7. (Original) The method, as recited in claim 5, wherein the at least one constraint specifies a maximum number of clusters.
- 8. (Currently Amended) An apparatus comprising a program storage media having computer readable code embodied therein, said computer readable code being configured for forming, using a computer, a plurality of stores into a plurality of store clusters, comprising:

computer code for collecting store specific information from a plurality of stores;

computer code for providing optimized combinations <u>including optimized prices for a plurality of products</u> for each individual store <u>of the plurality of stores</u> based on the store specific information, <u>wherein the optimized prices are generated using demand coefficients</u>, <u>cost coefficients and optimization rules</u>;

computer code for creating a plurality of <u>store</u> clusters <u>from the plurality of stores</u> based on the closeness of the optimal combinations; and

computer code for <u>re-optimizing</u> prices for [[a]] <u>the</u> plurality of products for at least one of the plurality of <u>store</u> clusters, and wherein the <u>re-optimizing</u> of prices uses demand coefficients, cost coefficients and optimization rules.

- 9. (Original) The apparatus, as recited in claim 8, further comprising computer code for providing cluster based combinations.
- 10. (Original) The apparatus, as recited in claim 9, wherein the store specific information is selected from a group comprising point-of-sales data, customer survey data, and cost data.
- 11. (Currently Amended) The apparatus, as recited in claim 10, wherein the combinations is selected from a group comprising item and price, assortment, further include assortment and promotion combinations.
- 12. (Currently Amended) The apparatus, as recited in claim 8, wherein the computer code for creating the plurality of clusters, comprises:

computer code for providing at least one constraint; and computer code for placing stores that meet the constraints and with the closest optimal combinations in the same cluster of the plurality of store clusters.

- 13. (Original) The apparatus, as recited in claim 12, wherein the at least one constraint places two stores in the same cluster, by making each store of the two stores have the same optimal combination.
- 14. (Original) The apparatus, as recited in claim 12, wherein the at least one constraint specifies a maximum number of clusters.
 - 15. (Cancelled)

- 16. (Cancelled)
- 17. (Cancelled)
- 18. (Currently Amended) The method, as recited in <u>claim 5</u>, claim 17, wherein the at least one constraint prohibits two stores of the plurality of stores from being in the same cluster.
- 19. (Currently Amended) The method, as recited in <u>claim 5</u>, <u>claim 17</u>, wherein the at least one constraint places two stores in the same cluster, by averaging the prices of an item and placing the average price as the price of the item in each store.
- 20. (Currently Amended) The method, as recited in <u>claim 5</u>, <u>claim 17</u>, wherein the at least one constraint places stores with a geographical closeness in the same cluster.
- 21. (New) The apparatus, as recited in claim 12, wherein the at least one constraint prohibits two stores of the plurality of stores from being in the same cluster.
- 22. (New) The apparatus, as recited in claim 12, wherein the at least one constraint places two stores in the same cluster, by averaging the prices of an item and placing the average price as the price of the item in each store.
- 23. (New) The apparatus, as recited in claim 12, wherein the at least one constraint places stores with a geographical closeness in the same cluster.